

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1556	718/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:11
L2	4	((server adj side adj code) and object).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:18
L3	205612	(kuwamoto george).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:18
L4	0	((server adj side adj code)).clm. and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:18
S1	316	web adj author\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 12:11
S17 2	54	client with (server\$1side adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 23:44
S17 3	12	@ad<="20010606" and S172	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 23:40
S17 4	1	(client with (server\$1side adj code)).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 23:44
S17 5	5	(id identifier identification tags) with (server\$1side adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 23:45

## EAST Search History

S17 6	2	S172 and S175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 23:45
S17 7	54	(server\$1side adj code) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 10:38
S17 8	0	S177 and macromedia.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 10:29
S17 9	12	@ad<="20010606" and S177	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 10:29
S18 0	12	(server\$1side adj code) and S179	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 10:38

IP.com  
PriorArtDatabase

Secure

October 09, 2007

USPTO

**Search**

Full Text

Concept

Document ID

Recent Disclosures

**Other**

Prior Art Home

Support

Logout

Displaying records #1 through 10 out of 500  
(search stopped at 500 hits)

Result # 1 Relevance:

**Client side customization of widgets and layout**

2006-07-21

IPCOM000138499D

English

This article deal with GUI layout proposing a method and a solution to allow users into mode to customize web pages accordingly to his personal preferences.

Result # 2 Relevance:

**Reusing client side web for validation logic for the server side.**

2007-01-30

IPCOM000145854D

English

This article describes an update to a web server process that allows the execution of java validation code in the server. This ensures that validation code is written once reducing maintenance cost of validation code.

Result # 3 Relevance:

**ETBI - Ajax listeners on a server which react to browser events**

2006-12-13

IPCOM000143987D

English

Disclosed is a system that uses Ajax listeners on a server that react to browser events. shuts down a browser without logging off, an event-based hook in a client's web browser performs the logout operation that the user failed to perform, allowing ...

Result # 4 Relevance:

**A Method To Enable A Web Server Serve International Web Pages**

2004-06-28

IPCOM000029413D

English

This invention enables an international web server to serve users from multiple countries requiring the user to prespecify the country or language desired. It uses Global Positioning System (GPS) data to identify the language to be used.

Result # 5 Relevance:

**Web Server Detection and Automatic Switching to Local Cached Apple**

2004-04-02

IPCOM000024641D

English

Design for enabling a Java applet normally loaded from a Web server to continue to run the Web server is unavailable.

Result # 6 Relevance:

**On-The-Fly Webpage Creator**

2002-09-29

IPCOM000016157D

English

Disclosed is a method of serving web pages created on-the-fly by a human user (hereinafter called the broadcaster) to a second user or users (hereinafter called the client). This allows visual communication between live or realtime conversations (via phone, chat, etc.) with minimal ...

Result # 7 Relevance:

**Auto Refresh on AUIML Application**

2006-12-04

IPCOM000143668D

English

The Abstract User Interface Markup Language is an IBM framework that separates presentation

contents, in a manner that permits to change user interface, without changing the code oriented environment, it is impossible with this framework, to update the user ...

---

Result # 8      Relevance: 

**Mapping method of userid and password for same user to set up single system.**

2002-07-01

IPCOM000015704D

English

In order to realize the Single Sign On(SSO) operation in WEB portal system, which comprises browser, newly installed portal server and existing back end application system, the following scenario can be considered. 1.Unifying user ID/Password in both portal server ...

---

Result # 9      Relevance: 

**Servlet/Applet/HTML Authentication Process with Single Sign-On**

2000-01-01

IPCOM000013676D

English

A process is disclosed that makes it possible for Java\* Servlets to log in to the IBM\*\* Single Sign-On-Demand Server Version 2 (ODS) with a web browser as the user interface. It is relatively straightforward to authenticate a user with ODS when the authentication is only ...

---

Result # 10      Relevance: 

**CICS\* on the Internet**

1995-12-01

IPCOM000117135D

English

There is a very rapid growth of interest in the Internet, currently believed to be accessible to 35 million people. Providing a method for putting CICS servers on to the Internet permits people to use a Multi-media GUI front end (a Web browser) to fire off ...

---

Displaying page 1 of 50    << FIRST | < BACK | [NEXT >](#) | [LAST >>](#)

---

**Search query:** A system and method allows a user to view server side code results on a computer. The system includes a method of storing source code for a web page on the server, retrieving the web page from the server, associating the server side code results with the server side code that caused them to produce them, and displaying the server side code results, for example in a graphical user interface. The operation of the method and system may be periodically repeated to incorporate updates to the server side code results. The user may graphically adjust characteristics of the server side code results, and if the user so adjusts them the method adjusts the source code for the web page consistent with the adjustments made by the user.

[New search](#) | [Modify this search](#)

Copyright © 2007 IP.com, Inc. All rights reserved. |


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

tags sequential number\* html

2001

Search

Ad  
Sc  
Sc

**Scholar** All articles - **Recent articles** Results 1 - 10 of about 14,600 for tags sequential number\* ht

**All Results**[R Aebersold](#)[P Green](#)[E Winzeler](#)[S Gygi](#)[B Ewing](#)

[Analysis of expressed sequence tags indicates 35,000 human genes - all 13 versions »](#)

B Ewing, P Green - Nature Genetics, 2000 - nature.com

... Here we estimate the **number** of human genes by comparing a set of human expressed **sequence tag** (EST) contigs with human chromosome 22 and with a non-redundant ...

Cited by 253 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Reliable identification of large numbers of candidate SNPs from public EST data - all 7 versions »](#)

KH Buetow, MN Edmonson, AB Cassidy - Nature Genetics, 1999 - nature.com

... which examine redundant raw expressed **sequence tag** (EST) data ... results suggest that existing **sequence** resources may ... This approach reduced the **number** of UNIGENE ...

Cited by 178 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Consed: A Graphical Tool for Sequence Finishing - all 26 versions »](#)

D Gordon, C Abajian, P Green - Genome Research, 1998 - Cold Spring Harbor Lab

... **Tags** that can be attached to the contig **sequence** ... full clone), and a priming site in the template **sequence**. ... criterion of reducing the expected **number** of errors ...

Cited by 1115 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Open-reading-frame sequence tags \(OSTs\) support the existence of at least 17,300 genes in C. elegans - all 12 versions »](#)

J Reboul, P Vaglio, N Tzellas, N Thierry-Mieg, T ... - Nature Genetics, 2001 - nature.com

... 9,356 EST genes identified on the basis of expressed **sequence tags** (yellow circle ... hand VENN diagram shows the intersection between the total **number** of predicted ...

Cited by 115 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Quantitative analysis of complex protein mixtures using isotope-coded affinity tags - all 20 versions »](#)

SP Gygi, B Rist, SA Gerber, F Turecek, MH Gelb, R ... - Nature Biotechnology, 1999 - nature.com

... Figure 3. Isotope-coded affinity **tag** quantitative analysis of a ... a pair of ICAT-labeled peptides of identical **sequence**. ... on the charge state (**number** of hydrogen ...

Cited by 1705 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A Comprehensive Rice Transcript Map Containing 6591 Expressed Sequence Tag Sites Article, ... - all 6 versions »](#)

J Wu, T Maehara, T Shimokawa, S Yamamoto, C Harada ... - The Plant Cell Online, 274 - Am Soc Plant Biol

... affrc.go.jp/Publicdata/physicalmap2001/YACall2001.html ... To estimate the total **number** of rice genes at ... identification of unique rice expressed **sequence tags** (ESTs ...

Cited by 162 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A New Set of Arabidopsis Expressed Sequence Tags from Developing Seeds. The Metabolic Pathway from ... - all 7 versions »](#)

JA White, J Todd, T Newman, N Focks, T Girke, OM ... - Plant Physiology, 2000 - Am Soc Plant Biol

